ELSEVIER

Analytica Chimica Acta 525 (2004) 313–315

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abbaspour, A.
—, Izadyar, A. and Sharghi, H.
Carbon composition PVC based membrane in a highly selective and sensitive coated wire electrode for silver ion 91
Aguinaga, N., see Campillo, N. 273
Ahmed, M., see Saeed, M.M. 289
Albero, M.I., see Ortuño, J.A. 231
Anderson, G.P., see Charles, P.T. 199

Bajpai, R.P., see Dimri, A.K. 299
Benedetti, S., see Buratti, S. 133
Brimmer, S.P., see Li, F. 141
Brusseau, M.L., see Dorn, J.G. 63
Buratti, S.
—, Benedetti, S., Scampicchio, M. and Pangerod, E.C.
Characterization and classification of Italian Barbera wines by using an electronic nose and an amperometric electronic tongue 133
Busch, K.W.
—, Swamidoss, I.M., Fakayode, S.O. and Busch, M.A.
Determination of the enantiomeric composition of some molecules of pharmaceutical interest by chemometric analysis of the UV spectra of cyclodextrin guest–host complexes 53
Busch, M.A., see Busch, K.W. 53

Campillo, N.
—, Aguinaga, N., Viñas, P., López-García, I. and Hernández-Córdoba, M.
Speciation of organotin compounds in waters and marine sediments using purge-and-trap capillary gas chromatography with atomic emission detection 273
Chan, W.H., see Yang, R.H. 97
Charles, P.T.
—, Rangasammy, J.G., Anderson, G.P., Romanoski, T.C. and Kusterbeck, A.W.
Microcapillary reversed-displacement immunosensor for trace level detection of TNT in seawater 199
Chen, C.-C., see Kou, H.-S. 23
Chen, H.L., see Cheng, Y.Q. 239
Chen, X.G., see Cheng, Y.Q. 239
Cheng, Y.Q.
—, Chen, H.L., Fan, L.Y., Chen, X.G. and Hu, Z.D.
On-line conversion and determination of artemisinin and its kinetic parameters using orthogonal design by coupling of flow injection with capillary electrophoresis 239
Csöregi, E., see Gáspár, S. 75

Delvaux, M.
—, Walcarius, A. and Demoustier-Champagne, S.
Electrocatalytic H_2O_2 amperometric detection using gold nanotube electrode ensembles 221
Demoustier-Champagne, S., see Delvaux, M. 221
Dimri, A.K.
—, Paul, A.K. and Bajpai, R.P.
Design and characterization of a direct current glow discharge lamp for analytical applications 299
Diniz, M.C.T.
—, Filho, O.F. and Rohwedder, J.J.R.
An automated system for liquid–liquid extraction based on a new micro-batch extraction chamber with on-line detection. Preconcentration and determination of Copper(II) 281
Dorn, J.G.
—, Mahal, M.K., Brusseau, M.L. and Maier, R.M.
Employing a novel fiber optic detection system to monitor the dynamics of in situ *lux* bioreporter activity in porous media: system performance update 63

El-Essawi, M.M., see Mahmoud, M.E. 123
Espinosa, A., see Ortuño, J.A. 231
Esteban-Díez, I.
—, González-Sáiz, J.M. and Pizarro, C.
Prediction of sensory properties of espresso from roasted coffee samples by near-infrared spectroscopy 171
Expósito, R., see Ortuño, J.A. 231

Fakayode, S.O., see Busch, K.W. 53
Fan, B.-T., see Liu, H.-X. 31
Fan, L.Y., see Cheng, Y.Q. 239
Fathalla, E.M.I., see Mahmoud, M.E. 123
Filho, O.F., see Diniz, M.C.T. 281

Galceran, M.T., see Núñez, O. 183
García-Olmo, J., see Ruiz-Jiménez, J. 159
González-Sáiz, J.M., see Esteban-Díez, I. 171
Gáspár, S.
—, Wang, X., Suzuki, H. and Csöregi, E.
Amperometric biosensor-based flow-through microdetector for microdialysis applications 75
Gu, T.
— and Hasebe, Y.
Peroxidase and methylene blue-incorporated double stranded DNA–polyamine complex membrane for electrochemical sensing of hydrogen peroxide 191
Guo, C., see Shen, D. 205

Harada, M., see Nagasaka, S. 115
Hasebe, Y., see Gu, T. 191
Hauser, P.C., see Wan, Q.J. 11
Hernández-Córdoba, M., see Campillo, N. 273
Hu, Z.D., see Cheng, Y.Q. 239
Hu, Z.-D., see Liu, H.-X. 31
Huang, Y.-H., see Kou, H.-S. 23

Izadyar, A., see Abbaspour, A. 91

Jelínek, I., see Novotný, M. 17
Jung, H.S., see Kim, J.M. 151

Kaličanin, B.M.
—, Nikolić, R.S. and Marjanović, N.J.
Application of potentiometric stripping analysis with constant inverse current for determining soluble lead in human teeth 111

doi:10.1016/S0003-2670(04)01343-1

Kang, Q., see Shen, D. 205
Karlíček, R., see Kavalírová, A. 43
Kavalírová, A.
—, Pospíšilová, M. and Karlíček, R.
Enantiomeric analysis of rivastigmine in pharmaceuticals by cyclodextrin-modified capillary zone electrophoresis 43
Kawai, T., see Kim, J.M. 151
Kholeif, S.A., see Mahmoud, M.E. 123
Kim, J.M.
—, Jung, H.S., Park, J.W., Lee, H.Y. and Kawai, T.
AFM phase lag mapping for protein–DNA oligonucleotide complexes 151
Ko, W.-K., see Kou, H.-S. 23
Kou, H.-S.
—, Chen, C.-C., Huang, Y.-H., Ko, W.-K., Wu, H.-L. and Wu, S.-M.
Method for simultaneous determination of eight cyclic antidepressants by cyclodextrin-modified capillary zone electrophoresis: applications in pharmaceuticals 23
Kubáň, P., see Wan, Q.J. 11
Kusterbeck, A.W., see Charles, P.T. 199

Lan, J., see Shen, D. 205
Lee, H.Y., see Kim, J.M. 151
Li, F.
— and Brimmer, S.P.
Initial study of a combustion–mass spectrometric system for organic microanalysis 141
Li, K.A., see Yang, R.H. 97
Liu, F., see Yang, R.H. 97
Liu, H.-X.
—, Zhang, R.-S., Yao, X.-J., Liu, M.-C., Hu, Z.-D. and Fan, B.-T.
Prediction of electrophoretic mobility of substituted aromatic acids in different aqueous–alcoholic solvents by capillary zone electrophoresis based on support vector machine 31
Liu, M.-C., see Liu, H.-X. 31
liu, Y., see Yang, Y. 213
Lizondo-Sabater, J., see Seguí, M.J. 83
López-García, I., see Campillo, N. 273
Luque de Castro, M., see Ruiz-Jiménez, J. 159

Maftouh, M., see Matthijs, N. 247
Mahal, M.K., see Dorn, J.G. 63
Mahmoud, M.E.
—, El-Essawi, M.M., Kholeif, S.A. and Fathalla, E.M.I.
Aspects of surface modification, structure characterization, thermal stability and metal selectivity properties of silica gel phases-immobilized-amine derivatives 123
Maier, R.M., see Dorn, J.G. 63
Marjanović, N.J., see Kaličanin, B.M. 111
Martínez-Máñez, R., see Seguí, M.J. 83
Massart, D.L., see Matthijs, N. 247
Matthijs, N.
—, Van Hemelryck, S., Maftouh, M., Massart, D.L. and Vander Heyden, Y.
Electrophoretic separation strategy for chiral pharmaceuticals using highly-sulfated and neutral cyclodextrins based dual selector systems 247
Moyano, E., see Núñez, O. 183

Nagasaka, S.
—, Harada, M. and Okada, T.
Electrochemically induced mass exchange between electrolyte and $Fe(bpy)_3^{2+}$-impregnated Nafion membrane 115
Nakamura, T., see Ren, J. 105
Nikolić, R.S., see Kaličanin, B.M. 111
Novotný, M.
—, Opekar, F., Jelínek, I. and Štulík, K.
Improved dual photometric-contactless conductometric detector for capillary electrophoresis 17
Núñez, O.
—, Moyano, E. and Galceran, M.T.
Time-of-flight high resolution versus triple quadrupole tandem mass spectrometry for the analysis of quaternary ammonium herbicides in drinking water 183

Okada, T., see Nagasaka, S. 115
Opekar, F., see Novotný, M. 17
Ortuño, J.A.
—, Expósito, R., Sánchez-Pedreño, C., Albero, M.I. and Espinosa, A.
A nitrate-selective electrode based on a tris(2-aminoethyl)amine triamide derivative receptor 231

Pangerod, E.C., see Buratti, S. 133
Pardo, T., see Seguí, M.J. 83
Park, J.W., see Kim, J.M. 151
Paul, A.K., see Dimri, A.K. 299
Pizarro, C., see Esteban-Díez, I. 171
Pospíšilová, M., see Kavalírová, A. 43
Priego-Capote, F., see Ruiz-Jiménez, J. 159

Rainelli, A., see Wan, Q.J. 11
Rangasammy, J.G., see Charles, P.T. 199
Redigolo, H., see Zougagh, M. 265
Ren, J.
—, Watanabe, H., Yamamura, S. and Nakamura, T.
Selective response mechanism of a platinum disk electrode modified with polyacrylamide membrane conjugated with gallium(III) phthalocyaninate 105
Rohwedder, J.J.R., see Diniz, M.C.T. 281
Romanoski, T.C., see Charles, P.T. 199
Ríos, A., see Zougagh, M. 265
Ruiz-Jiménez, J.
—, Priego-Capote, F., García-Olmo, J. and Luque de Castro, M.D.
Use of chemometrics and mid infrared spectroscopy for the selection of extraction alternatives to reference analytical methods for total fat isolation 159

Saeed, M.M.
— and Ahmed, M.
Retention, kinetics and thermodynamics profile of cadmium adsorption from iodide medium onto polyurethane foam and its separation from zinc bulk 289
Sancenón, F., see Seguí, M.J. 83
Scampicchio, M., see Buratti, S. 133
Seguí, M.J.
—, Lizondo-Sabater, J., Martínez-Máñez, R., Pardo, T., Sancenón, F. and Soto, J.
Ion-selective electrodes for anionic surfactants using a new aza-oxa-cycloalkane as active ionophore 83
Sharghi, H., see Abbaspour, A. 91
Shen, D.
—, Kang, Q., Zhang, P., Guo, C. and Lan, J.
Frequency response to liquid density of a piezoelectric quartz crystal sensor with longitudinal wave 205
Shen, G., see Yang, Y. 213
Sánchez-Pedreño, C., see Ortuño, J.A. 231
Soto, J., see Seguí, M.J. 83
Štulík, K., see Novotný, M. 17
Suzuki, H., see Gáspár, S. 75
Swamidoss, I.M., see Busch, K.W. 53

Tang, B.
—, Zhang, H. and Wang, Y.
On-line separation, preconcentration and determination of trace amounts of gold in mineral sample by flow injection catalytic kinetic spectrofluorimetry 305

Tanyanyiwa, J., see Wan, Q.J. 11

Valcárcel, M., see Zougagh, M. 265
Van Hemelryck, S., see Matthijs, N. 247
Vander Heyden, Y., see Matthijs, N. 247
Viñas, P., see Campillo, N. 273

Walcarius, A., see Delvaux, M. 221
Wan, Q.J.
—, Kubáň, P., Tanyanyiwa, J., Rainelli, A. and Hauser, P.C.
Determination of major inorganic ions in blood serum and urine by capillary electrophoresis with contactless conductivity detection 11
Wang, C.
—, Xie, S., Yang, J., Yang, Q. and Xu, G.
Structural identification of human blood phospholipids using liquid chromatography/quadrupole-linear ion trap mass spectrometry 1
Wang, X., see Gáspár, S. 75
Wang, Y., see Tang, B. 305
Watanabe, H., see Ren, J. 105
Wu, H.-L., see Kou, H.-S. 23
Wu, S.-M., see Kou, H.-S. 23

Xie, S., see Wang, C. 1
Xu, G., see Wang, C. 1

Yamamura, S., see Ren, J. 105
Yang, H., see Yang, Y. 213
Yang, J., see Wang, C. 1
Yang, M., see Yang, Y. 213
Yang, Q., see Wang, C. 1
Yang, R.H.
—, Zhang, Y., Li, K.A., Liu, F. and Chan, W.H.
Fluorescent ratioable recognition of Cu^{2+} in water using a pyrene-attached macrocycle/γ-cyclodextrin complex 97
Yang, Y.
—, Yang, H., Yang, M., liu, Y., Shen, G. and Yu, R.
Amperometric glucose biosensor based on a surface treated nanoporous ZrO_2/Chitosan composite film as immobilization matrix 213
Yao, X.-J., see Liu, H.-X. 31
Yu, R., see Yang, Y. 213

Zhang, H., see Tang, B. 305
Zhang, P., see Shen, D. 205
Zhang, R.-S., see Liu, H.-X. 31
Zhang, Y., see Yang, R.H. 97
Zougagh, M.
—, Redigolo, H., Ríos, A. and Valcárcel, M.
Screening and confirmation of PAHs in vegetable oil samples by use of supercritical fluid extraction in conjunction with liquid chromatography and fluorimetric detection 265

Vol. 525
Iss. 1
NOV 1

2004